



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
-----------------	-------------	----------------------	---------------------	------------------

10/729,391

12/05/2003

Yoshifumi Sekiguchi

81940.0066

9563

26021 7590 12/15/2008  
HOGAN & HARTSON L.L.P.  
1999 AVENUE OF THE STARS  
SUITE 1400  
LOS ANGELES, CA 90067

EXAMINER

SITTA, GRANT

ART UNIT

PAPER NUMBER

2629

MAIL DATE

DELIVERY MODE

12/15/2008

PAPER

**Please find below and/or attached an Office communication concerning this application or proceeding.**

The time period for reply, if any, is set in the attached communication.

<b>Response to Rule 312 Communication</b>	<b>Application No.</b>	<b>Applicant(s)</b>
	10/729,391	SEKIGUCHI ET AL.
	<b>Examiner</b>	<b>Art Unit</b>
	GRANT D. SITTA	2629

**-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --**

1. ☒ The amendment filed on 12/04/2008 under 37 CFR 1.312 has been considered, and has been:

a) ☐ entered.

b) ☐ entered as directed to matters of form not affecting the scope of the invention.

c) ☐ disapproved because the amendment was filed after the payment of the issue fee.

Any amendment filed after the date the issue fee is paid must be accompanied by a petition under 37 CFR 1.313(c)(1) and the required fee to withdraw the application from issue.

d) ☒ disapproved. See explanation below.

e) ☐ entered in part. See explanation below.

The proposed amendments change the scope of the claims and also raise possible 112 second paragraph issues, particularly with regards to which data line Applicant is referring to the positive polarity data line or the negative polarity data line, or whether Applicant is referring to both data lines

/Sumati Lefkowitz/  
Supervisory Patent Examiner, Art Unit 2629

/Grant D Sitta/  
Examiner, Art Unit 2629